



CODEMARK™

Product description

Kordon has a nominal thickness of 1.75mm comprising a non-woven polyester fibre webbing, impregnated with deltamethrin, laminated between two UV stabilized polyethylene films.

Product purpose or use

- 1 **Kordon TB** is a physical termite barrier.
- 2 **Kordon TMB** is a physical termite barrier and a moisture vapour barrier
- 3 **Kordon Kollars** are prefabricated collars for use as physical termite barriers on slab penetrations.

Certificate holder

Bayer CropScience Pty Ltd
trading as Bayer Environmental Science
ABN 87 000 226 022
391-393 Tooronga Road, Hawthorn East,
Victoria. 3123

CodeMark certification body

Global-Mark Pty Ltd
25/28 Barcoo Street
Roseville NSW 2069, Australia
www.Global-Mark.com.au

CERTIFICATE OF CONFORMITY

This is to certify that

KORDON **Kordon TB, Kordon TMB and Kordon Kollars**



Complies with the Building Code of Australia:

1. Volume One: BP1.1 and BP1.2 (limited only to actions by subterranean termites), FP1.5
2. Volume Two: P2.1 (limited only to actions by subterranean termites), P2.2.3
3. State Variations:
Volume One – SA FP1.5
Volume Two – QLD P2.1.1 (limited only to actions by subterranean termites), SA P2.2.3, NSW P2.2.3

Subject to the following conditions and limitations:

1. Installed by Bayer Kordon accredited installers
2. Installed according to the Bayer Kordon Reference Manual as per Installation Details (dated 26/7/2007).
Details are at www.kordontmb.com.au
3. When used as a termite barrier in conjunction with a concrete slab the slab must be designed and constructed according to AS 2870: 1996 (up to amendment 4, 05/2003) or AS 3600: 2001 (up to amendment 2, 10/2004).



Herve Michoux
Managing Director

26/07/2007

Date of issue

26/07/2010

Date of expiry

GM-07-CM30001

Certificate Number

- This Certificate of Conformity is issued under arrangement with JAS-ANZ. The ABCB does not in any way warrant or represent that the Product the subject of this Certificate of Conformity conforms with the BCA, nor accepts any liability arising out of the use of the Product.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.